L Number	Hits	Search Text	DB	Time stamp
1	11785	class same (path or directory)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/14 10:40
2	24951	class same (location or locating or locator or locate$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/14 10:40
3	3354	(class same (path or directory)) and (class same (location or locating or locator or locate$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/14 10:40
4	878	((class same (path or directory)) and (class same (location or locating or locator or locate$1))) and Java	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/14 10:40
5	359	((class same (path or directory)) and (class same (location or locating or locator or locate$1))) and Java adj class	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/14 10:41
6	179	(((class same (path or directory)) and (class same (location or locating or locator or locate$1))) and Java adj class) and (wrapper or code or module) same (API or (pogramming adj interface))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/14 11:16
7	120	((((class same (path or directory)) and (class same (location or locating or locator or locate$1))) and Java adj class) and (wrapper or code or module) same (API or (pogramming adj interface))) and (cach$3 or (memory adj cach$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/14 10:42
8	119	(((class same (path or directory)) and (class same (location or locating or locator or locate$1))) and Java adj class) and (wrapper or code or module) same (API or (pogramming adj interface)) same (class or locat$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/14 10:46
9	96	(((class same (path or directory)) and (class same (location or locating or locator or locate$1))) and Java adj class) and (wrapper or code or module) same (API or (pogramming adj interface)) same (class or locator)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/14 11:16
10	221	classpath	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/14 11:16
11	79	classpath and (wrapper or code or module) same (API or (pogramming adj interface))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/14 11:23
12	17	class adj (locator or finder)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/14 11:23

L Number	Hits	Search Text	DB	Time stamp
1	399	(classpath or (class with (path or directory or location))) and wrapper and (API$1 or (program$7 adj interface))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/14 09:18
2	116	((classpath or (class with (path or directory or location))) and wrapper and (API$1 or (program$7 adj interface))) and (707/$.ccls. or 717/$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/14 09:32
3	12	(((classpath or (class with (path or directory or location))) and wrapper and (API$1 or (program$7 adj interface))) and (707/$.ccls. or 717/$.ccls.)) and (creat$5 or generat$6 or construct$6 or establish$6 or build$4 or implement$5) near6 cach$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/14 09:17
4	17126	(creat$5 or generat$6 or construct$6 or establish$6 or build$4 or implement$5) near6 cach$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/14 09:27
5	628	((creat$5 or generat$6 or construct$6 or establish$6 or build$4 or implement$5) near6 cach$3) and classes! same (path or directory or location)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/14 09:28
6	12	(((creat$5 or generat$6 or construct$6 or establish$6 or build$4 or implement$5) near6 cach$3) and classes! same (path or directory or location)) and wrapper same (API$1 or (programming adj interface))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/14 09:20
7	60	(((creat$5 or generat$6 or construct$6 or establish$6 or build$4 or implement$5) near6 cach$3) and classes! same (path or directory or location)) and wrapper and (API$1 or (programming adj interface))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/14 09:20
9	4	((((((creat$5 or generat$6 or construct$6 or establish$6 or build$4 or implement$5) near6 cach$3) and classes! same (path or directory or location)) and wrapper and (API$1 or (programming adj interface))) and Java adj4 class) and zip$5 adj file	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/14 09:27
8	28	((((creat$5 or generat$6 or construct$6 or establish$6 or build$4 or implement$5) near6 cach$3) and classes! same (path or directory or location)) and wrapper and (API$1 or (programming adj interface))) and Java adj4 class	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/14 09:28
10	549	((((((creat$5 or generat$6 or construct$6 or establish$6 or build$4 or implement$5) near6 cach$3) and classes! same (path or directory or location)) and wrapper and (API$1 or (programming adj interface))) and Java adj4 class) factory near4 class	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/14 09:24
11	923	8and factory near4 class	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/14 09:24
12	8	((((((creat$5 or generat$6 or construct$6 or establish$6 or build$4 or implement$5) near6 cach$3) and classes! same (path or directory or location)) and wrapper and (API$1 or (programming adj interface))) and Java adj4 class) and factory near4 class	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/14 09:24
13	9800	(creat$5 or generat$6 or construct$6 or establish$6 or build$4 or implement$5) near2 cach$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/14 09:27

14	488	. ((creat$5 or generat$6 or construct$6 or establish$6 or build$4 or implement$5) near2 cach$3) and Java and classes!	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/14 09:27
15	10	((((creat$5 or generat$6 or construct$6 or establish$6 or build$4 or implement$5) near2 cach$3) and Java and classes!) and zip$5 adj file	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/14 09:27
16	239	((creat$5 or generat$6 or construct$6 or establish$6 or build$4 or implement$5) near2 cach$3) and Java adj4 class	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/14 09:28
17	127	((((creat$5 or generat$6 or construct$6 or establish$6 or build$4 or implement$5) near2 cach$3) and Java adj4 class) and class same (path or directory or location)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/14 09:30
18	11	(((((creat$5 or generat$6 or construct$6 or establish$6 or build$4 or implement$5) near2 cach$3) and Java adj4 class) and class same (path or directory or location)) and class near6 (locator or finder)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/14 09:31
19	17	((creat$5 or generat$6 or construct$6 or establish$6 or build$4 or implement$5) near2 cach$3) and class near6 (locator or finder)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/14 09:32
20	223	class near6 (locator or finder)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/14 09:36
21	44	(class near6 (locator or finder)) and (707/$.ccls. or 717/$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/14 09:32
22	153	class adj6 (locator or finder)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/14 09:39
23	33	(class adj6 (locator or finder)) same (path or directory or location or hierarch$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/14 09:39

14	488	((creat$5 or generat$6 or construct$6 or establish$6 or build$4 or implement$5) near2 cach$3) and Java and classes!	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/14 09:27
15	10	(((creat$5 or generat$6 or construct$6 or establish$6 or build$4 or implement$5) near2 cach$3) and Java and classes!) and zip$5 adj file	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/14 09:27
16	239	((creat$5 or generat$6 or construct$6 or establish$6 or build$4 or implement$5) near2 cach$3) and Java adj4 class	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/14 09:28
17	127	(((creat$5 or generat$6 or construct$6 or establish$6 or build$4 or implement$5) near2 cach$3) and Java adj4 class) and class same (path or directory or location)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/14 09:30
18	11	((((creat$5 or generat$6 or construct$6 or establish$6 or build$4 or implement$5) near2 cach$3) and Java adj4 class) and class same (path or directory or location)) and class near6 (locator or finder)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/14 09:31
19	17	((creat$5 or generat$6 or construct$6 or establish$6 or build$4 or implement$5) near2 cach$3) and class near6 (locator or finder)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/14 09:32
20	223	class near6 (locator or finder)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/14 09:36
21	44	(class near6 (locator or finder)) and (707/$.ccls. or 717/$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/14 09:32
22	153	class adj6 (locator or finder)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/14 09:39
23	33	(class adj6 (locator or finder)) same (path or directory or location or hierarch$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/14 09:42
25	146	(((creat$5 or generat$6 or construct$6 or establish$6 or build$4 or implement$5) near6 cach$3) and classes! same (path or directory or location)) and (module or code) same (API$1 or (programming adj interface))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/14 09:51
26	44	((((creat$5 or generat$6 or construct$6 or establish$6 or build$4 or implement$5) near6 cach$3) and classes! same (path or directory or location)) and (module or code) same (API$1 or (programming adj interface))) and (classpath or (class with (path or directory or location))) and wrapper and (API$1 or (program$7 adj interface))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/14 09:45
27	44	((((creat$5 or generat$6 or construct$6 or establish$6 or build$4 or implement$5) near6 cach$3) and classes! same (path or directory or location)) and (module or code) same (API$1 or (programming adj interface))) and (classpath or (class with (path or directory or location))) and wrapper	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/14 09:45

28	74	(((classpath or (class with (path or directory or location))) and wrapper and (API$1 or (program$7 adj interface))) and (707/$.ccls. or 717/$.ccls.)) and (module or code) same (API$1 or (programming adj interface))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/14 09:47
29	32	((((classpath or (class with (path or directory or location))) and wrapper and (API$1 or (program$7 adj interface))) and (707/$.ccls. or 717/$.ccls.)) and (module or code) same (API$1 or (programming adj interface))) and name adj2 class	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/14 09:53
30	37	((((classpath or (class with (path or directory or location))) and wrapper and (API$1 or (program$7 adj interface))) and (707/$.ccls. or 717/$.ccls.)) and (module or code) same (API$1 or (programming adj interface))) and name near class	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/14 09:53